



M 60 MOBILE CONCRETE BATCHING PLANT / EQUIPPED WITH SINGLE SHAFT MIXER THE BEST CHOICE FOR PRACTICAL CONCRETE PRODUCTION FOR SHORT-TERM PROJECTS

AUTOMATION





EASY AND QUICK INSTALLATION

GENERAL INFO

Plant Type Plant Capacity Mixer Capacity Mixer Type Voltage/Frequency Control Mobile (Portable) Concrete Batching Plant 60 m³/hour compacted concrete 1,0 m³ compacted concrete Meka Single Shaft Mixer 400V / 50Hz - Standard value. May vary depending on regional standards Fully automatic with SIEMENS PLC (Germany)

COUNTRIES







MAIN ADVANTAGES

Ultra Performance and Flexibity	MEKA M 60 Mobile concrete batching plants are flexible, durable and give class-leading productivity. The plant is the preferred by contractors for temporary needs, and ready-mix concrete firms for corporate flexiblility.
Unique Single-Chassis Design	All of the operational equipment required for production is installed on the main single chassis of a mobile concrete plant and is transported on it.
Transport With a Single Tow Truck	M 60 concrete plant with 2 complete sets of screw conveyors, filters and other silo equipment can be transported with the help of only one single trailer truck. All MEKA mobile batching plants are equipped with two axles to ensure good weight distribution.
Quick Start Up Time	To reduce installation time and crane operations, the main compo- nents in the M60 mobile concrete plant are installed, pre-wired and tested in production facilities.
Minimum Foundation Required	Thanks to its design Meka mobile batch plants require no or minimum foundations which reduces the operational costs and brings the mobility to a new level.
180 Degree Truck Mixer Aproach Opportunity	Due to heavy duty chassis design, M60 MEKA mobile concrete batching plant not require front supports. The absence of front sup- ports doesn't only reduce the installation time but also offers useful operation characteristics allowing for the mixer truck to approach from 3 points (180 degrees) and drive through. This feature is very useful for strict and narrow site conditions.


The information contained in this document is for general information purposes only. Options and technical details presented in your formal quotation supersede all the information presented in this brochure. MEKA reserves the right to change the technical information and specifications indicated in this brochure. Please consult your MEKA representative for the most updated data.



WE ARE MEEKA. WE CREATE RIGHT SOLUTIONS TO AGGREGATE PRODUCTION, READY-MIX CONCRETE AND MINING INDUSTRIES








WE ARE MEKA. WE CREATE RIGHT SOLUTIONS TO AGGREGATE PRODUCTION, READY-MIX CONCRETE AND MINING INDUSTRIES





15. TRANSPORTATION SPECTS



|--|






WE ARE MIEKA. WE CREATE RIGHT SOLUTIONS TO AGGREGATE PRODUCTION, READY-MIX CONCRETE AND MINING INDUSTRIES



sales@mekaglobal.com • www.mekaglobal.com





MOBILE CONCRETE BATCHING PLANTS TECHNICAL SPECIFICATIONS

	M60	M100	M120	
Compacted Concrete Output	60 m ³ /h	100 m ³ /h	120 m ³ /h	
Mixer Capacity (Compacted Concrete)	1,0 m ³ /cycle	2,25 m ³ /cycle	3,33 m ³ /cycle	
Mixer Type	SS / TS / PL	TS	TS	
Mixer Motor Power	37 kW /2x 18,5 Kw / 45 kW	2x 37 kW	2x55 kW	
Aggregate Bins	4x 10 m ³ / CT	4x 15 m ³ / CT	4x 25 m ³ / Inline Mobile Type	
Aggregate Feeding	Ramp or Pre-Feeding System			
Aggregate Transfer	Belt	Belt	Belt	
Air Compressor	Piston Type (5,5 kW)	Piston Type (7,5 kW)	Piston Type (7,5 kW)	
Cement Weighing Hopper	500 kg	1.000 kg	1.750 kg	
Water Weighing Hopper	200 kg	700 kg	1.000 kg	
Additive Weighing Hopper	20 kg	20 kg	40 kg	
Cement Screw Conveyor	Ø 219 x 11.500 mm	Ø 273 x 15.000 mm	Ø 273 x 15.000 mm	

Aggregate Bins Mixer Type : CT (Cross Type), IT (Inline Type)

: SS (Single Shaft), TS (Twin Shaft), P (Pan), PL (Planetary)

IMAGES

- 1 M 100 Mobile Concrete Batching Plant / Scotland
- 2 M 100 Mobile Concrete Batching Plant / Heidelberg Cement / Georgia
- 3 M 120 Mobile Concrete Batching Plant / Vinci / Turkmenistan
- 4 M 60 Mobile Concrete Batching Plant / Tanzania

WE ARE MELKA. WE CREATE RIGHT SOLUTIONS TO AGGREGATE PRODUCTION, READY-MIX CONCRETE AND MINING INDUSTRIES.



16. COMPACT AGGREGATE PREFEEDING SYSTEM (OPTIONAL)

Hopper Capacity Conveyor Belt Motor - Gearbox Grid 6 m³ 800 X 17.000 mm 15 kw with accuplated gearbox Included on hopper





WE ARE MEKA. WE CREATE RIGHT SOLUTIONS TO AGGREGATE PRODUCTION, READY-MIX CONCRETE AND MINING INDUSTRIES sales@mekaglobal.com • www.mekaglobal.com





CRUSHING SCREENING, MINING AND CONCRETE BATCHING TECHNOLOGIES



